



Enabling Grids for E-sciencE

SAML-XACML AuthZ Interface Analysis and design suggestions

Yuri Demchenko

SNE Group, University of Amsterdam

www.eu-egee.org



- **Goals and background**
- **AuthZ components in EGEE/OSG and interoperability picture**
- **Obligations – definition and use cases**
- **Reference model for Obligations Handling (OHRM)**
- **Obligations expression conventions**
- **Examples, implementations and (inter)operability tests**
- **Issues for discussion**



- **Goals**
 - Common SAML-XACML AuthZ Interface to achieve interoperability between different AuthZ systems
 - Basis for the Site-Central AuthZ Service (SCAS)
- **History and lessons to be learnt**
 - Started/initiated at MWSG11 meetings March 1-2, 2007 at UCSD
 - Development stages:

Agreement – Discussion – Common understanding – (Analysis, Requirements?) -
(Design?) – Alpha implementation – (Design?) – Beta Implementation (planed)
- **JRA1 commissioned AuthZ study and technical document drafting**
“SAML-XACML Authorisation Interface and XACML Obligations Handling”
 - <http://staff.science.uva.nl/~demch/projects/aaauthreach/draft-authz-saml-xacml-obligations-01.pdf>

“SAML-XACML Authorisation Interface and XACML Obligations Handling” (version 0.1)

- Analysis of current AuthZ component
- Basic information on SAML2.0, XACML2.0, and SAML2.0 profile of XACML
- Proposed design suggestions and solutions
 - Two basic use cases of the possible SCAS implementation – LCAS/LCMAPS based and native XACML based, that correspondently implement stateful and stateless PDP operational model
 - Description of different obligation enforcement scenarios
 - Obligations Handling Reference Model (OHRM)
 - (Conventional) agreement on the Obligations expression in the XACML policy and applicable XACML Request format
 - ObligationId format and OHRM related Obligation marking/labelling approach
 - Basic (design) requirements to the ObligationHandler API
 - SAML2.0-XACML profile conformance test definition and requirements

Current AuthZ components in EGEE/OSG




This slide was borrowed from O.Koeroo's presentation at MWSG/EGEE07

Issues with this setup:

- share/distribute the **gridmapdir** for mapping consistency
- share/distribute the **configurations** for the nodes
- share/distribute **authorization** files, like **grid/groupmapfiles** and a **blacklisting** file
- **Scaling** issues; lots of node will probably **overload** an NFS server

SAML-XACML interface based interoperability picture




- **Policy Obligation is one of the policy enforcement mechanisms**
 - *Obligations* are a set of operations that must be performed by the *PEP* in conjunction with an *authorization decision* [XACML2.0]
- **Obligations enforcement scenarios**
 - Obligations are enforced by PEP at the time of receiving obligated AuthZ decision from PDP
 - Obligations are enforced at later time when the requestor accesses the resource or service
 - Require use of AuthZ assertions/tickets/(restricted proxy?)
 - Obligations are enforced before or after the resource or service accessed/delivered/consumed
 - Not discussed in current study/document – refer to OGSA AUTHZ-WG discussions

- Account mapping
- Priority/queue
- Resource/Storage path/location
- Quota assignment
- Service combination with implied conditions (e.g., computing and storage resources)
- Usable resources/quota

- [T] [S] UID + GID
- [T] [S] Multiple secondary GIDs
 - Requires UID+GID
- [T/E] [R] AFS token (type string)
 - Requires UID+GID
- [E] [S] Username (for CE)
- [T/E] [R] Path restriction
 - Root and home path
- [A] [S] Storage priorities (gPlazma)
 - Requires UID+GID or Username
- [E] [S] Access permission
 - Requires UID+GID or Username

Legend:

- [T] – policy may use template Obligation
- [E] - policy may use explicit Obligation
- [S], [R], [A] – Obligation applied to AuthZ Subject, Resource, Action



Generic AuthZ service model

PEP – Policy Enforcement Point

PDP – Policy Decision Point

PAP – Policy Authority Point


OH – Obligation Handler

CtxHandler – Context Handler

(S, R, A, E) – components of the AuthZ request (Subject, Resource, Action, Environment)

Obligations Handling in gJAF

gJAF Obligations Handling Dataflow



**Obligation0 = tObligation => Obligation1 (“OK?”, (Attributes1 v Environments1))
=> Obligation2 (“OK?”, (Attributes2 v Environments2))
=> Obligation3 (Attributes3 v Environments3)**

- **Obligation0 – (stateless or template)**

Obligations are returned by the PDP in a form as they are written in the policy. These obligations can be also considered as a kind of templates or instructions, tObligation.

- **Obligation1 and Obligation 2**

Obligations have been handled by Obligation handler at the SCAS/PDP side or at the PEP side, depending on implementation. Templates or instructions of the Obligation0 are replaced with the real attributes in Obligation1/2, e.g. in a form of “name-value” pair.

- The result of Obligations processing/enforcement is returned in a form of modified AuthzResponse (Obligation1) or global Resource environment changes
- Obligation handler should return notification about fulfilled obligated actions, e.g. in a form of Boolean value “False” or “True”, which will be taken into account by PEP or other processing module to finally permit or deny service request by PEP.
- Note. Obligation1 handling at the SCAS or PDP side allows stateful PDP/SCAS.

- **Obligation3**

Final stage when an Obligation actually takes effect (Obligations “termination”). This is done by the Resource itself or by services managed/controlled by the Resource.

- General Obligation term

Obligation = Apply (TargetAttribute, Operation (Variables))

Obligation = Apply (TargetAttribute, Operation (Variables), Chronicle)

Ref: Chronicle attribute was proposed by OGSA AUTHZ-WG

```
<Obligation ObligationId="urn:oasis:names:tc:xacml:2.0:scas-
    policy:example007:policy:obligation.UID" FulfillOn="Permit">
    <AttributeAssignment DataType="http://www.w3.org/2001/XMLSchema#string"
        AttributeId="urn:oasis:names:tc:xacml:1.0:example:attribute:access-subject">
            &lt;SubjectAttributeDesignator
                AttributeId="urn:oasis:names:tc:xacml:1.0:subject:subject-id"
                DataType="http://www.w3.org/2001/XMLSchema#string"/&gt;
        </AttributeAssignment>
        <AttributeAssignment
            AttributeId="urn:oasis:names:tc:xacml:2.0:example:attribute:poolaccount"
            DataType="http://www.w3.org/2001/XMLSchema#string">
            &lt;PoolAccountDesignator
                AttributeId="http://glite.egee.org/JRA1/Authz/XACML/obligation/poolaccount"
                DataType="http://www.w3.org/2001/XMLSchema#string"/&gt;
            <AttributeValue DataType="http://www.w3.org/2001/XMLSchema#string">
                egee-pool-next-available
            </AttributeValue>
        </AttributeAssignment>
    </Obligation>
```

- **ObligationId format**
 - should use OASIS SAML/XACML prefix
 - agreed namespace identifier for the target project or use cases
 - may use either URN or URI form
- **Suggested namespace identifiers**
 - glite:security:authz:(policy | policy:obligation)
 - http://glite.org/security/authorisation/
- **Suggested sub-trees for management and deployment purposes**
 - orgname/projname or servicename
 - example
 - test
- **Adding suffices for versioning and staging**
 - version0.1
 - stage0
 - template

- **Examples using SAML/XACML URN style**

urn:oasis:names:tc:xacml:2.0:glite:security:authz:policy:obligation:obligation._UID

urn:oasis:names:tc:xacml:2.0:glite:security:authz:example007:policy:obligation:obligation._UID

urn:oasis:names:tc:xacml:2.0:glite:security:authz:EGEE:policy:obligation:obligation._UID

- **Examples using general URI style**

http://glite.org/security/authorisation/policy/obligation/obligation._UID

http://glite.org/security/authorisation/CNAF/policy/obligation/obligation._UID

[http://glite.org/security/authorisation/CREAM/policy/obligation/obligation._UID/a=3&@#\\$&z=y*x](http://glite.org/security/authorisation/CREAM/policy/obligation/obligation._UID/a=3&@#$&z=y*x)

- Note: Consider URI security issues

- **Examples adding versioning/staging suffix**

urn:oasis:names:tc:xacml:2.0:glite:security:authz:policy:obligation:obligation._UID:version0.1

- **Globus SAML-XACML Library**
 - C and Java based SAML-XACML library
 - Axis2 generated + supported classes
 - No native XACML PDP
- **G-PBox**
 - SAML-XACML library generated from schema
 - Native XACML PDP and XACML policies
- **gJAF**
 - OpenSAML2.0 extensions for SAML-XACML profile
 - SunXACML based native XACML PDP
- **Tests done so far**
 - Globus alpha test setup – OK, however problems to integrate XACML PDP
 - G-PBox library (with gJAF) - OK
 - Calling Globus with G-PBox libraries - Fail

- **Reference model for Obligations handling (OHRM)**
 - AuthZ ticket/assertion for the Obligated AuthZ decision integrity
- **Obligation expression format**
- **ObligationId and namespace(s)**
- **ObligationHandler API**
- **Interoperability and conformance test suite**